

## Technische Daten Heatpanels

Code	EAN	Color	B x H x T	Power	IP	kg	Anschlussart und Anschlusskabel	Stomanschluss	Oberflächentemp.	Beheizbare m <sup>2</sup>
<b>„Carbon Heat Frameless“</b>										
BHPCA6090600m	4260051488745	weiß mineral	60 x 90 x 2,5cm	600 Watt	IP20	9 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	11-13
<b>„IMAGE CARBON HEAT Frameless“</b>										
BHPICAH6090600	4260051488752	Wunschmotiv	60 x 90 x 2,5cm	600 Watt	IP20	9 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	11-13
<b>„Classic Heat Frameless“</b>										
BHPCLH6090500	4260051488769	weiss glatt	60 x 90 x 1,5cm	500 Watt	IP20	8 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 100°C	9-11
<b>„Standing Heat Frameless“ mit Standfuß</b>										
BHPSH4060300mf	4260051488776	weiss glatt	40 x 60 x 1,6cm	300 Watt	IP20	10 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 85°C	6-7
BHPSH6090600mf	4260051488783	weiss glatt	60 x 90 x 1,6cm	600 Watt	IP20	13 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	11-13
<b>„Exclusive Heat Frameless“</b>										
BHPEH2460150	4260051488790	weiß glatt	24 x 60 x 1,6cm	150 Watt	IP20	2,5 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 75°C	3-4
BHPEH2460150m	4260051488806	weiß mineral	24 x 60 x 1,6cm	150 Watt	IP20	2,5 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 75°C	3-4
BHPEH4060300	4260051488813	weiß glatt	40 x 60 x 1,6cm	300 Watt	IP20	4 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 85°C	6-7
BHPEH4060300m	4260051488820	weiß mineral	40 x 60 x 1,6cm	300 Watt	IP20	4 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 85°C	6-7
BHPEH6060300	4260409690882	weiß glatt	59,5 x 59,5 x 1,6cm	300 Watt	IP20	4 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 85°C	6-7
BHPEH6060300m	4260409690899	weiß mineral	59,5 x 59,5 x 1,6cm	300 Watt	IP20	4 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 85°C	6-7
BHPEH6262300	4260051488837	weiß glatt	62,5 x 62,5 x 1,6cm	300 Watt	IP20	4 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 85°C	6-7
BHPEH6262300m	4260051488844	weiß mineral	62,5 x 62,5 x 1,6cm	300 Watt	IP20	4 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 85°C	6-7
BHPEH6090300	4260051488851	weiß glatt	60 x 90 x 1,6cm	300 Watt	IP20	7 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 85°C	6-7
BHPEH6090300m	4260051488868	weiß mineral	60 x 90 x 1,6cm	300 Watt	IP20	7 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 85°C	6-7
BHPEH6090450	4260051488875	weiß glatt	60 x 90 x 1,6cm	450 Watt	IP20	7 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 90°C	9-10
BHPEH6090450m	4260051488882	weiß mineral	60 x 90 x 1,6cm	450 Watt	IP20	7 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 90°C	9-10
BHPEH6090600	4260051488899	weiß glatt	60 x 90 x 1,6cm	600 Watt	IP20	7 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	11-13
BHPEH6090600m	4260051488905	weiß mineral	60 x 90 x 1,6cm	600 Watt	IP20	7 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	11-13
BHPEH50100600	4260051488912	weiß glatt	50 x 100 x 1,6cm	600 Watt	IP20	7 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	11-13
BHPEH50100600m	4260051488929	weiß mineral	50 x 100 x 1,6cm	600 Watt	IP20	7 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	11-13
BHPEH60120700	4260051488936	weiß glatt	60 x 120 x 1,6cm	700 Watt	IP20	9 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	13-15
BHPEH60120700m	4260051488943	weiß mineral	60 x 120 x 1,6cm	700 Watt	IP20	9 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	13-15
BHPEH60120900	4260051488950	weiß glatt	60 x 120 x 1,6cm	900 Watt	IP20	9 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	17-19
BHPEH60120900m	4260051488967	weiß mineral	60 x 120 x 1,6cm	900 Watt	IP20	9 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	17-19
<b>„Image Heat Frame“ mit Rahmen Alu Silber 10mm</b>										
BHPIH4060300	4260051489834	Wunschmotiv	40 x 60 x 2,5cm	300 Watt	IP20	5 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 85°C	6-7
BHPIH6090500	4260051489841	Wunschmotiv	60 x 90 x 2,5cm	500 Watt	IP20	8 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 100°C	9-11
BHPIH60120700	4260051489858	Wunschmotiv	60 x 120 x 2,5cm	700 Watt	IP20	10 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	13-15

<b>„Image Heat Frameless“</b>										
BPHPHF50100600	4260051489865	Wunschmotiv	50 x 100 x 1,6cm	600 Watt	IP20	7 kg	Schukostecker, 1,9m Kabel	230/240V ~ 50/60 Hz	ca. 105°C	11-13
<b>„Glass Heat Frame“ mit Rahmen Alu Silber 10mm</b>										
BHPGH4060210w	4260409690004	Glas weiß	40 x 60 x 2,5cm	210 Watt	IP44	5 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	2-3
BHPGH6070400w	4260409690011	Glas weiß	60 x 70 x 2,5cm	400 Watt	IP44	7 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	7-9
BHPGH3590250w	4260409690028	Glas weiß	35 x 90 x 2,5cm	250 Watt	IP44	5 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	4-6
BHPGH6090500w	4260051489193	Glas weiß	60 x 90 x 2,5cm	500 Watt	IP44	12 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	9-11
BHPGH60110600w	4260409690035	Glas weiß	60 x 110 x 2,5cm	600 Watt	IP44	12 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	11-13
BHPGH35120320w	4260409690042	Glas weiß	35 x 120 x 2,5cm	320 Watt	IP44	7 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	6-7
BHPGH60120700w	4260051489780	Glas weiß	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	13-15
BHPGH40130500w	4260409690059	Glas weiß	40 x 130 x 2,5cm	500 Watt	IP44	10 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	9-11
BHPGH60140900w	4260409690066	Glas weiß	60 x 140 x 2,5cm	900 Watt	IP44	14 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	17-19
BHPGH802001400w	4260409690073	Glas weiß	80 x 200 x 2,5cm	1400 Watt	IP44	25 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	27-29
BHPGH4060210sw	4260409690080	Glas schwarz	40 x 60 x 2,5cm	210 Watt	IP44	5 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	2-3
BHPGH6070400sw	4260409690097	Glas schwarz	60 x 70 x 2,5cm	400 Watt	IP44	7 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	7-9
BHPGH3590250sw	4260409690103	Glas schwarz	35 x 90 x 2,5cm	250 Watt	IP44	5 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	4-6
BHPGH6090500sw	4260051489797	Glas schwarz	60 x 90 x 2,5cm	500 Watt	IP44	12 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	9-11
BHPGH60110600sw	4260409690110	Glas schwarz	60 x 110 x 2,5cm	600 Watt	IP44	12 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	11-13
BHPGH35120320sw	4260409690127	Glas schwarz	35 x 120 x 2,5cm	320 Watt	IP44	7 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	6-7
BHPGH60120700sw	4260051489803	Glas schwarz	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	13-15
BHPGH40130500sw	4260409690134	Glas schwarz	40 x 130 x 2,5cm	500 Watt	IP44	10 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	9-11
BHPGH60140900sw	4260409690141	Glas schwarz	60 x 140 x 2,5cm	900 Watt	IP44	14 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	17-19
BHPGH802001400sw	4260409690158	Glas schwarz	80 x 200 x 2,5cm	1400 Watt	IP44	25 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	27-29
<b>„Glass Heat Frameless“</b>										
BHPGHF6070400w	4260409690165	Glas weiß	60 x 70 x 2,5cm	400 Watt	IP44	7 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	7-9
BHPGHF3590250w	4260409690172	Glas weiß	35 x 90 x 2,5cm	250 Watt	IP44	5 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	4-6
BHPGHF6090500w	4260051488974	Glas weiß	60 x 90 x 2,5cm	500 Watt	IP44	12 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	9-11
BHPGHF60110600w	4260409690189	Glas weiß	60 x 110 x 2,5cm	600 Watt	IP44	12 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	11-13
BHPGHF35120320w	4260409690196	Glas weiß	35 x 120 x 2,5cm	320 Watt	IP44	7 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	6-7
BHPGHF60120700w	4260051488981	Glas weiß	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	13-15
BHPGHF40130500w	4260409690202	Glas weiß	40 x 130 x 2,5cm	500 Watt	IP44	10 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	9-11
BHPGHF60140900w	4260409690219	Glas weiß	60 x 140 x 2,5cm	900 Watt	IP44	14 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	17-19
BHPGHF6070400sw	4260409690226	Glas schwarz	60 x 70 x 2,5cm	400 Watt	IP44	7 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	9-10
BHPGHF3590250sw	4260409690233	Glas schwarz	35 x 90 x 2,5cm	250 Watt	IP44	5 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	4-6
BHPGHF6090500sw	4260051488998	Glas schwarz	60 x 90 x 2,5cm	500 Watt	IP44	12 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	9-11
BHPGHF60110600sw	4260409690240	Glas schwarz	60 x 110 x 2,5cm	600 Watt	IP44	12 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	11-13
BHPGHF35120320sw	4260409690257	Glas schwarz	35 x 120 x 2,5cm	320 Watt	IP44	7 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	6-7
BHPGHF60120700sw	4260051489001	Glas schwarz	60 x 120 x 2,5cm	700 Watt	IP44	14 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	13-15
BHPGHF40130500sw	4260409690264	Glas schwarz	40 x 130 x 2,5cm	500 Watt	IP44	10 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	9-11
BHPGHF60140900sw	4260409690271	Glas schwarz	60 x 140 x 2,5cm	900 Watt	IP44	14 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	17-19



BHPIGHF6070400	4260409690554	Glas Bild	60 x 70 x 2,5cm	400 Watt	IP44	7 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	7-9
BHPIGHF6090500	4260409690561	Glas Bild	60 x 90 x 2,5cm	500 Watt	IP44	10 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	9-11
BHPIGHF60110600	4260409690578	Glas Bild	60 x 110 x 2,5cm	600 Watt	IP44	12 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	11-13
BHPIGHF60120700	4260409690585	Glas Bild	60 x 120 x 2,5cm	700 Watt	IP44	13 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	13-15
BHPIGHF60140500	4260409690592	Glas Bild	60 x 140 x 2,5cm	900 Watt	IP44	14 kg	Schukostecker, 1,8m Kabel	230/240V ~ 50/60 Hz	ca. 95°C	17-19